

**SECTION 1: Identification of the substance/mixture****1.1. Product identifier**

Product form	: Substance
Substance name	: Ferrous Sulfate Heptahydrate
Formula	: $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$
Molecular weight	: 278.01 g/mol
CAS No.	: 7782-63-0
Product code	: LW-FESO4
Synonyms	: Iron(II) sulfate heptahydrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Laboratory chemicals, Manufacture of substances
------------------------------	---

1.3. Emergency telephone number

Emergency number	: 1.800.424.9300 (USA) +1.703.527.3887 (INT)
------------------	---

SECTION 2: Hazards Identification**2.1. Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**


Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram	: 
Signal word	: Warning
Hazard statement(s)	
H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
Precautionary statement(s)	
P264	: Wash skin thoroughly after handling.
P270	: Do not eat, drink or smoke when using this product.

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280	: Wear eye protection/ face protection.
P280	: Wear protective gloves.
P301 + P312 + P330	: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P302 + P352	: IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	: If skin irritation occurs: Get medical advice/ attention.
P337 + P313	: If eye irritation persists: Get medical advice/ attention.
P362	: Take off contaminated clothing and wash before reuse.
P501	: Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS

none

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

Component	Classification	Concentration
Ferrous sulfate heptahydrate	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; H302, H315, H319	<= 100 %
For the full text of the H-Statements mentioned in this Section, see Section 16.		

SECTION 4: Description of first aid measures

4.1. Description of first aid measures

General advice	: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
First-aid measures after inhalation	: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash off with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. More Information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Air sensitive. Store under inert gas. hygroscopic

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Ferrous sulfate heptahydrate	7782-63-0	TWA	1.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Respiratory Tract irritation Skin irritation Varies		
		TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Skin irritation Varies		
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3. Personal protective equipment

Eye protection : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Skin Protection : Handle with gloves. Gloves must be inspected prior to use. Use

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body protection

- : Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

- : For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls

- : Do not let product enter drains.

SECTION 9: Physical and chemical properties

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.1. Information on basic physical and chemical properties

Appearance	: Form: solid
Odor	: No data available
Odor Threshold	: No data available
pH	: 3.0 - 4.0 at 50 g/l at 25 °C (77 °F)
Melting point/freezing point	: Melting point/range: 64 °C (147 °F)
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper/lower flammability or explosive limits	: No data available
Vapor pressure	: 14.6 hPa (11.0 mmHg) at 25 °C (77 °F)
Vapor density	: No data available
Relative density	: 1.898 g/cm ³ at 25 °C (77 °F)
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

Bulk density	: 1,300 kg/m ³
--------------	---------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Iron oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD50 Oral - Mouse - 1,520 mg/kg
Inhalation: No data available
Dermal: No data available
LD50 Intraperitoneal - Mouse - 245 mg/kg
LD50 Intravenous - Mouse - 51 mg/kg

Skin corrosion/irritation : No data available

Serious eye damage/irritation : No data available

Respiratory or skin sensitization : No data available

Germ cell mutagenicity : No data available

Carcinogenicity

IARC: : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: : No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity : No data available

Specific target organ toxicity (single exposure) : No data available

Specific target organ toxicity (repeated exposure) : No data available

Aspiration hazard : No data available

Additional Information : RTECS: NO8510000

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

- | | |
|---|--|
| 12.1. Toxicity | : No data available |
| 12.3. Persistence and Degradability | : No data available |
| 12.3. Bioaccumulative potential | : No data available |
| 12.3. Mobility in soil | : No data available |
| 12.4. Results of PBT and vPvB assessment | : PBT/vPvB assessment not available as chemical safety assessment not required/not conducted |
| 12.6. Other adverse effects | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- | | |
|------------------------|--|
| Product | : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. |
| Contaminated Packaging | : Dispose of as unused product. |

SECTION 14: Transport information

DOT (US)

- | | |
|--------------------------|--|
| UN number | : 3077 |
| Class | : 9 |
| Packing group | : III |
| Proper shipping name | : Environmentally hazardous substances, solid, n.o.s. (Ferrous sulfate heptahydrate) |
| Reportable Quantity (RQ) | : 1000 lbs |
| Poison Inhalation Hazard | : No |

IMDG

Not dangerous goods

IATA

Not dangerous goods

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Ferrous sulfate heptahydrate	CAS-No.	Revision Date
	7782-63-0	1993-04-24

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Ferrous sulfate heptahydrate	CAS-No.	Revision Date
	7782-63-0	1993-04-24

New Jersey Right To Know Components

Ferrous sulfate heptahydrate	CAS-No.	Revision Date
	7782-63-0	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	: Acute toxicity
Eye Irrit.	: Eye irritation
H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
Skin Irrit.	: Skin irritation
H318	: Causes serious eye damage.
H401	: Toxic to aquatic life.
Met. Corr.	: Corrosive to metals

HMIS Rating

Ferrous Sulfate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Health Hazard : 2

Chronic Health Hazard : *

Flammability : 0

Physical Hazard : 0

NFPA Rating

Health hazard : 2

Fire Hazard : 0

Reactivity Hazard : 0

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Issuer. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.